


DATE: Wednesday, February 19, 2003 Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set
•	SPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=0	OR .	
<u>L21</u>	(((717/105)!.CCLS.))	60	<u>L21</u>
<u>L20</u>	((717/104)!.CCLS.)	118	<u>L20</u>
<u>L19</u>	((717/102)!.CCLS.)	28	<u>L19</u>
<u>L18</u>	(((717/5)!.CCLS.))	0	<u>L18</u>
<u>L17</u>	((717/\$)!.CCLS.)	4347	<u>Li7</u>
<u>L16</u>	L6 and (stag\$ near5 tables or temporary near5 tables)	6	<u>L16</u>
<u>L15</u>	(((707/\$)!.CCLS.))	14400	<u>L15</u>
<u>L14</u>	(((707/206)!.CCLS.))	327	<u>L14</u>
<u>L13</u>	(((707/200)!.CCLS.))	1164	<u>L13</u>
<u>L12</u>	(((707/104.1)!.CCLS.))	2126	<u>L12</u>
<u>L11</u>	(((707/100)!.CCLS.))	1422	<u>L11</u>
<u>L10</u>	(((707/10)!.CCLS.))	2722	<u>L10</u>
<u>L9</u>	(((707/1)!.CCLS.))	2175	<u>L9</u>
<u>L8</u>	((707/101)!.CCLS.)	1023	<u>L8</u>
<u>L7</u>	L6 and (atag\$ near5 tables or temporary near5 tables)	3	<u>L7</u>
<u>L6</u>	L5 and metadata	27	<u>L6</u>
<u>L5</u>	L4 and business and database	80	<u>L5</u>
<u>L4</u>	populat\$ and datamart or populat\$ and data near2 mart	87	<u>L4</u>
<u>L3</u>	L2 and (stag\$ near5 tables or temporary near5 tables)	44	<u>L3</u>
<u>L2</u>	L1 and metadata	1187	<u>L2</u>
<u>L1</u>	business and database or business and data near2 base	35435	<u>L1</u>

END OF SEARCH HISTORY



ase
40 C 36
ALIGNAS .
The second secon

Search:	▼	Refine Sear

Recall Text 👄 Clear

Search History

DATE: Wednesday, February 19, 2003 Printable Copy Create Case

Set Name Query side by side			Set Name result set
•	SPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L10</u>	(((345/741)!.CCLS.))	60	<u>L10</u>
<u>L9</u>	(((345/700)!.CCLS.))	400	<u>L9</u>
<u>L8</u>	(((345/781)!.CCLS.))	382	<u>L8</u>
<u>L7</u>	((345/764)!.CCLS.)	583	<u>L7</u>
<u>L6</u>	L4 and (datawarehouse or data near2 warehouse or datamart or data near2 mart)	53	<u>L6</u>
<u>L5</u>	I.4 and (datawarehouse or datamart)	2	<u>L5</u>
<u>1.4</u>	L3 and populat\$5	389	<u>Ľ4</u>
<u>L3</u>	L1 and metadata! or meta-data! or (meta! adj2 data!)	2253	<u>L3</u>
<u>L2</u>	L1 and metadata! or meta-data! pr (meta! adj2 data!)	64383	<u>L2</u>
<u>L1</u>	((345/\$)!.CCLS.)	50719	<u>L1</u>

END OF SEARCH HISTORY

Help Logout Interrupt							
Main Menu Se	arch Form	Posting Counts	Show S Numbers	Edit S Numbers	Preferences	Cases	

Sanach Results,-

 Terms	Documents
L46 and automatic\$ same generat\$	42

	US Patents Full-Text Database
	US Pre-Grant Publication Full-Text Database
	JPO Abstracts Database
	EPO Abstracts Database
	- Deswent World Patents Indexes -
Database:	IBIVI Technical Disclosure Bulletins

	4
Search:	
	•

Refine Search

Recall Text

Clear

Search History

DATE: Wednesday, February 19, 2003 Printable Copy Create Case

DB=USPT, PGPB, JPAB, EPAB, DWPI, TDBD; PLUR=YES; OP=OR L47 L46 and automatic\$ same generat\$ 42 L47 L46 L45 and metadata 88 L46 L45 business near2 database 1093 L45 L44 L42 and metadata 7 L44 L43 L42 and metadata near5 schema 0 L43 L42 business near2 database near3 system 146 L42 L41 generate near2 business near2 database near3 system 0 L41 DB=USPT; PLUR=YES; OP=OR 1 L40 DB=USPT, PGPB, JPAB, EPAB, DWPI, TDBD; PLUR=YES; OP=OR 1 L40 DB=USPT, PGPB, JPAB, EPAB, DWPI, TDBD; PLUR=YES; OP=OR 40 L39 L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	Set Name side by side	Query	Hit Count	Set Name result set
L46 L45 and metadata 88 L46 L45 business near2 database 1093 L45 L44 L42 and metadata 7 L44 L43 L42 and metadata near5 schema 0 L43 L42 business near2 database near3 system 146 L42 L41 generate near2 business near2 database near3 system 0 L41 DB=USPT; PLUR=YES; OP=OR 1 L40 L40 5603024.pn. 1 L40 DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR 40 L39 L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	DB=US	$PT,PGPB,JPAB,EPAB,DWPI,TDBD;\ PLUR=YES;\ OP=OR$	•	
L45 business near2 database 1093 L45 L44 L42 and metadata 7 L44 L43 L42 and metadata near5 schema 0 L43 L42 business near2 database near3 system 146 L42 L41 generate near2 business near2 database near3 system 0 L41 DB=USPT; PLUR=YES; OP=OR 1 L40 L40 5603024.pn. 1 L40 DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR 1 L39 L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	<u>L47</u>	L46 and automatic\$ same generat\$	42	<u>L47</u>
L44 L42 and metadata 7 L44 L43 L42 and metadata near5 schema 0 L43 L42 business near2 database near3 system 146 L42 L41 generate near2 business near2 database near3 system 0 L41 DB=USPT; PLUR=YES; OP=OR 1 L40 L40 5603024.pn. 1 L40 DB=USPT, PGPB, JPAB, EPAB, DWPI, TDBD; PLUR=YES; OP=OR 1 L39 L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	<u>L46</u>	L45 and metadata	88	<u>L46</u>
L43 L42 and metadata near5 schema 0 L43 L42 business near2 database near3 system 146 L42 L41 generate near2 business near2 database near3 system 0 L41 DB=USPT; PLUR=YES; OP=OR 1 L40 L40 5603024.pn. 1 L40 DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR 40 L39 L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	<u>L45</u>	business near2 database	1093	<u>L45</u>
L42 business near2 database near3 system 146 L42 L41 generate near2 husiness near2 database near3 system 0 L41 DB=USPT; PLUR=YES; OP=OR 1 L40 L40 5603024.pn. 1 L40 DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR 40 L39 L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	<u>L44</u>	L42 and metadata	7	<u>L44</u>
L41 generate near? husiness near2 detabase near3 system 0 L41 DB=USPT; PLUR=YES; OP=OR 1 L40 L40 5603024.pn. 1 L40 DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR 40 L39 L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	<u>L43</u>	L42 and metadata near5 schema	0	<u>L43</u>
DB=USPT; PLUR=YES; OP=OR L40 5603024.pn. 1 L40 DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	<u>L42</u>	business near2 database near3 system	146	<u>L42</u>
L40 5603024.pn. 1 L40 DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR 40 L39 L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	<u>1.41</u>	generate near2 husiness near2 database near3 system	0	<u>L41</u>
DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	DB=US	PT; PLUR=YES; OP=OR		
L39 5675785.uref. 40 L39 L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	<u>L40</u>	5603024.pn.	1	<u>L40</u>
L38 (((707/103r)!.CCLS.)) 708 L38 L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	DB=US	$PT,PGPB,JPAB,EPAB,DWPI,TDBD;\ PLUR=YES;\ OP=OR$		
L37 (((707/205)!.CCLS.)) 522 L37 L36 (((707/204)!.CCLS.)) 589 L36	<u>L39</u>	5675785.uref.	40	<u>L39</u>
<u>L36</u> (((707/204)!.CCLS.)) 589 <u>L36</u>	<u>L38</u>	((((707/103r)!.CCLS.))	708	<u>L38</u>
	<u>L37</u>	(((707/205)!.CCLS.))	522	<u>L37</u>
T 2 C (((707/2021) C CT CT)	<u>L36</u>	((((707/204)!.CCLS.))	589	<u>L36</u>
<u>L35</u> (((707/203)!.CCLS.)) 764 <u>L35</u>	<u>L35</u>	((((707/203)!.CCLS.))	764	<u>L35</u>

<u>L34</u>	((((707/202)!: Ls.))	558	<u>L34</u>
<u>L33</u>	(((707/201)!.CCLS.))	733	<u>L33</u>
<u>L32</u>	(((707/103)!.CCLS.))	0	<u>L32</u>
<u>L31</u>	(((707/102)!.CCLS.))	1508	<u>L31</u>
<u>L30</u>	(((707/101)!.CCLS.))	1023	<u>L30</u>
<u>L29</u>	(((707/9)!.CCLS.))	660	<u>L29</u>
<u>L 28</u>	((((707/8)!.CCLS.))	606	<u>1.28</u>
<u>L27</u>	((((707/7)!.CCLS.))	584	<u>L27</u>
<u>L26</u>	(((707/6)!.CCLS.))	878	<u>L26</u>
<u>L25</u>	(((707/5)!.CCLS.))	1052	<u>L25</u>
<u>L24</u>	(((707/4)!.CCLS.))	1199	<u>L24</u>
<u>L23</u>	(((707/3)!.CCLS.))	2513	<u>L23</u>
<u>L22</u>	((707/2)!.CCLS.)	1296	<u>L22</u>
<u>L21</u>	(((717/105)!.CCLS.))	60	<u>L21</u>
<u>L20</u>	((717/104)!.CČLS.)	118	<u>L20</u>
<u>L19</u>	((717/102)!.CCLS.)	28	<u>L19</u>
<u>L18</u>	(((717/5)!.CCLS.))	0	<u>L18</u>
<u>L17</u>	((717/\$)!.CCLS.)	4347	<u>L17</u>
<u>L16</u>	L6 and (stag\$ near5 tables or temporary near5 tables)	6	<u>L16</u>
<u>L15</u>	(((707/\$)!.CCLS.))	14400	<u>L15</u>
<u>L14</u>	(((707/206)!.CCLS.))	327	<u>L14</u>
<u>L13</u>	(((707/200)!.CCLS.))	1164	<u>L13</u>
<u>L12</u>	(((707/104.1)!.CCLS.))	2126	<u>L12</u>
<u>L11</u>	(((707/100)!.CCLS.))	1422	<u>L11</u>
<u>L10</u>	(((707/10)!.CCLS.))	2722	<u>L10</u>
<u>L9</u>	(((707/1)!.CCLS.))	2175	<u>L9</u>
<u>L8</u>	((707/101)!.CCLS.)	1023	<u>L8</u>
<u>L7</u>	L6 and (atag\$ near5 tables or temporary near5 tables)	3	<u>L7</u>
<u>L6</u>	L5 and metadata	27	<u>L6</u>
<u>L5</u>	L4 and business and database	80	<u>L5</u>
<u>L4</u>	populat\$ and datamart or populat\$ and data near2 mart	87	<u>L4</u>
<u>L3</u>	L2 and (stag\$ near5 tables or temporary near5 tables)	44	<u>L3</u>
<u>L2</u>	L1 and metadata	1187	<u>L2</u>
<u>L1</u>	business and database or business and data near2 base	35435	<u>L1</u>

END OF SEARCH HISTORY